



**adaptall**

**INTERNATIONAL  
ADAPTERS  
SSDO BIN RACK**



## INTRODUCING

Adaptall's NEW Rolling Rack System, currently featuring the most popular series and sizes of **International Adapters**, in an attractive yet convenient display.

Whether it be for your retail store environment or warehouse, this rolling rack system easily tucks away into a space that best suits your needs.

**\*Steel DIN 2353 Fittings Bin Rack also available**

## PARTS INCLUDED:

240 part-numbers/skus covering 24 different product series in straights and 90° elbows. Please see the last page for specific series and sizes included.

## FEATURING:

- High quality, 2 sided rolling rack with louvered panels
- 4 high quality castor wheels, 2 are lockable
- Allows for 240 small AkroBins® (5-3/8" x 4-1/8" x 3")
- All bins labelled with part number, part image, description, and sizing on our behalf
- All parts are additionally bagged and labelled to avoid being returned to incorrect bins
- Alternating part numbers are indicated by alternating bin colors (i.e. 9005ES = blue, 9006 = red, 9007 = blue, etc.)
- Additional storage below for components, thread gauges, literature, etc.
- Adaptall made Thread Gauge Kits for BSPP and Metric are included to help your customers identify threads
- A branded sign for the top of the rack to help your customers identify the product line





## LOGISTICS


Your rolling bin rack is shipped partially assembled (castors to be installed on site, takes 5-10 minutes). All parts are bagged, placed inside the bins, then stacked neatly in boxes. Each box is numbered sequentially, so just start with Box #1 and begin placing bins on the louvered panels.

When shipped, the boxes are placed inside the tray of the rack, then the entire unit is shrink wrapped on a skid for extra stability.

- Rack capacity = supports up to 800 lbs
- Weight of rack = 190 lbs
- Weight of bins = 36 lbs
- Weight of parts = 224 lbs
- Total Weight = 450 lbs




**6002**




MORFS X MBSPP OR/RR

**6068**




MORFS X MMETRIC OR/RR

**9000**




MBSPP X MBSPP

**9005ES**




MJIC X MBSPP ES SEAL

**9006**




MORB X MBSPP

**9007**




MBSPP X MNPT

**9011**




MJIC X MBSPT

**9021**




MBSPP X FJIC

**9028**




BSPP SEALED PLUG

**9029**




METRIC SEALED PLUG

**9030**




BSPP HEX PLUG

**9033**




BSPP SWIVEL CAP

**9035S**




MBSPP (OR/RR) X FNPT

**9059**




90° MJIC X MBSPP

**9069**




90° MJIC X MMETRIC

**9197**




MJIC X FDIN

**9199**




90° MJIC X FDIN

**9240**




MJIC X FBSPP

**9500**




BSPP BONDED SEAL

**9500MM**




METRIC BONDED SEAL

**9605S**




MJIC X MDIN (OR/RR) PORT OR TUBE

**9606S**




MJIC X MDIN (OR/RR) PORT OR TUBE

**9635S**




MDIN (OR/RR) X FNPT PORT OR TUBE

**9636S**



MDIN (OR/RR) X FNPT PORT OR TUBE

**TGK**



THREAD GAUGE KIT

[LINKEDIN.COM/ADAPTALL](https://www.linkedin.com/company/adaptall)

[@ADAPTALL](https://twitter.com/ADAPTALL)

[ADAPTALL.COM](https://www.adaptall.com)

1.800.463.8134



ISO 9001 REGISTERED

PIPE PARTNERS IN PROTECTION

CTPAT Customs Trade Partnership Against Terrorism